

PLEASER SHOES BOOT FIT GUIDE

The following boot calf, thigh circumference and shaft height measurements were taken from women's size 7 boots made by Pleaser Shoes. Measurements will vary slightly than what is stated for sizes smaller or larger than 7. Calf circumference measurements were taken at the fullest part of the boot shaft while thigh circumference measurements were taken at top of the boot. Boot shaft height measurements were taken from where the upper meets the heel to the top of the boot shaft.

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Adore-1020	9 5/8	24.4	3/8	0.80					6 3/4	17.0	1/4	0.60
Pleaser	Adore-2020	13 3/4	35.0	3/8	0.80					13 3/4	35.0	1/4	0.60
Pleaser	Adore-2023	12 5/8	32.0	3/8	1.00					13 3/4	35.0	1/4	0.60
Pleaser	Adore-2043	12	30.5	3/8	1.00					14 3/8	36.5	5/8	1.60
Pleaser	Adore-3000	12 7/8	32.6	3/8	0.80	18 3/8	46.6	1/2	1.2	23 7/8	60.5	1/2	1.40
Pleaser	Adore-3002	11 3/4	30.0	1/4	0.60	12 5/8	32.0	1/4	0.6	18 7/8	48.0	1/2	1.20
Pleaser	Adore-3010	13 3/8	34.0	3/8	1.00	18 7/8	48.0	3/8	1.0	22 7/8	58.0	1/4	0.50
Pleaser	Adore-3020	12 1/4	31.0	3/8	0.80	17 3/8	44.0	3/8	0.8	24 1/4	61.5	1/4	0.50
Pleaser	Adore-3063	12 1/8	30.8	3/8	0.80	16 3/8	41.7	1/2	1.2	24 7/8	63.2	1/4	0.60
Pleaser	Arena-1020	10 1/2	26.7	1/8	0.40					7 1/2	19.0	1/4	0.50
Pleaser	Arena-2000	13	33.0	1/8	0.30					14 5/8	37.0	1/4	0.60
Pleaser	Arena-2012	14 1/8	36.0	3/8	1.00					14 1/8	36.0	1/8	0.40
Pleaser	Arena-2018	14 1/8	36.0	3/8	0.80					14	35.5	1/4	0.50
Pleaser	Arena-2020	13 3/8	34.0	1/4	0.60					14	35.5	1/4	0.60
Pleaser	Arena-2030	13 3/4	35.0	3/8	0.80					14 1/8	36.0	3/8	0.80
Pleaser	Attack-10	11	28.0	1/4	0.60					10 1/4	25.9	1/8	0.40
Pleaser	Bandit-120	15 3/8	39.0	1/2	1.20					12 1/4	31.0	1/4	0.50
Pleaser	Ballet-1020	9 1/2	24.0	3/8	0.88					5 1/2	14.0	1/8	0.43
Pleaser	Ballet-1025	9 1/2	24.0	3/8	0.88					5 1/2	14.0	1/8	0.43
Pleaser	Ballet-2020	13 3/8	34.0	1/2	1.24					13 3/4	35.0	3/8	1.08
Pleaser	Ballet-3000	13 3/8	34.0	1/2	1.24	20 1/8	51.0	3/4	1.9	26 5/8	67.5	7/8	2.07
Pleaser	Ballet-3020	13	33.0	1/2	1.20	18 1/8	46.0	5/8	1.7	24 5/8	62.5	3/4	1.92
Pleaser	Bear-202	14 5/8	37.0	1/2	1.28					12 3/8	31.5	3/8	0.83
Pleaser	Blondie-1024	12 1/4	31.0	1/4	0.60					10	25.5	1/4	0.60
Pleaser	Blondie-2021	12 5/8	32.0	1/4	0.60					14 1/8	36.0	1/4	0.60
Pleaser	Blondie-3000	13	33.0	3/8	1.00	18 1/8	46.0	3/8	1.0	22 1/2	57.0	1/2	1.20
Pleaser	Boxer-200	15 1/8	38.5	1/4	0.60					12 3/4	32.3	1/4	0.60
Pleaser	Boxer-201	14 3/4	37.5	1/4	0.60					15 1/8	38.5	1/4	0.60
Pleaser	Boxer-203	14 3/8	36.5	1/4	0.60					10	25.4	1/4	0.60
Pleaser	Boxer-205	15 1/8	38.5	1/4	0.60					12	30.6	1/2	1.20
Pleaser	Boxer-206	14 3/4	37.5	1/4	0.06					15 1/8	38.5	1/8	0.30
Pleaser	Boxer-208	15 1/8	38.5	1/4	0.60					12	30.6	1/8	0.30
Pleaser	Boxer-209	13 5/8	34.5	1/4	0.60					12 3/8	31.4	1/4	0.60
Pleaser	Bravo-100	14 5/8	37.0	1/2	1.30					14 5/8	37.0	3/8	0.99
Pleaser	Bravo-106	13	33.0	1/2	1.16					14 5/8	37.0	3/8	0.99
Pleaser	Bravo-66	9 7/8	25.0	3/8	0.89					8 1/8	20.5	1/4	0.56
Pleaser	Brogue-06	11	27.9	1/8	0.30					7	17.9	1/4	0.50
Pleaser	Brogue-07	11	27.9	1/8	0.30					7	17.9	1/4	0.60
Pleaser	Brogue-107	14 3/8	36.5	1/4	0.60					12	30.6	1/4	0.60
Pleaser	Brogue-107	14	35.6	3/8	1.00					12	30.5	1/4	0.60
Pleaser	Burlesque-129	12	30.5	3/8	0.80					8 5/8	22.0	1/4	0.50
Pleaser	Candy-1020	9 1/2	24.0	3/8	0.80					6 7/8	17.5	1/4	0.60
Pleaser	Candy-2000	12 5/8	32.0	3/8	1.00					15 3/8	39.0	1/4	0.60
Pleaser	Candy-2021	12 3/8	31.4	1/4	0.60					14	35.5	3/4	1.90
Pleaser	Candy-3000	13	33.0	1/4	0.60	18 1/2	46.9	1/2	1.2	26 5/8	67.6	1/4	0.60
Pleaser	Camel-311	13 3/8	34.0	1/2	1.20					13 3/4	35.0	3/8	0.96
Pleaser	Captain-180	11 3/4	30.0	1	2.50					10 7/8	27.5	1/2	1.40

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Carribbean-299	16 1/2	42.0	3/8	1.00					14 1/8	36.0	3/8	0.80
Pleaser	Chacha-180	10 3/8	26.2	7/8	2.20					10	25.3	1/4	0.60
Pleaser	Chacha-298	10 3/4	27.4	7/8	2.20					11	28.0	3/5	1.40
Pleaser	Charade-206	15	38.0	1/2	1.33					12 5/8	32.0	3/8	0.90
Pleaser	Chopper-100	14 3/4	37.5	1/2	1.31					13 3/8	34.0	3/8	0.89
Pleaser	Chopper-101	15	38.0	1/2	1.32					15 3/8	39.0	3/8	1.02
Pleaser	Clash-430	11 3/8	29.0	1/4	0.60					7 1/4	18.5	1/3	0.80
Pleaser	Classic-233	14	35.6	3/8	0.80					14	35.6	1/4	0.60
Pleaser	Clown-01	9 5/8	24.4							5 7/8	15.0	1/4	0.60
Pleaser	Clown-02	9 5/8	24.4							5 7/8	15.0	1/4	0.60
Pleaser	Clown-05	11 1/2	29.1							5 7/8	15.0	1/4	0.60
Pleaser	Combat-208	12 1/4	31.0	3/8	1.09					10 1/4	26.0	1/4	0.68
Pleaser	Concord-108	13 3/4	35.0	1/2	1.22					15	38.0	3/8	1.02
Pleaser	Corsair-06	13 3/8	34.0	3/8	1.00					8 1/2	21.7	1/4	0.60
Pleaser	Creeper-810	11 3/8	29.0	3/8	1.03					8 1/4	21.0	1/4	0.58
Pleaser	Creeper-812	13 3/4	35.0	1/2	1.24					15 3/8	39.0	3/8	1.08
Pleaser	Crypto-106	14 5/8	37.0	1/2	1.26					14 5/8	37.0	3/8	0.99
Pleaser	Crypto-300	11 3/8	29.0	3/8	0.99	12	30.5	3/8	1.0	15 3/4	40.0	3/8	1.07
Pleaser	Crypto-301	14 1/8	36.0	1/2	1.23					14 3/4	37.5	3/8	1.01
Pleaser	Crypto-315	14 1/8	36.0	1/2	1.23	14 1/8	36.0	1/2	1.2	15 3/4	40.0	3/8	1.07
Pleaser	Crypto-35	9 7/8	25.0	3/8	0.85					8 1/4	21.0	1/4	0.56
Pleaser	Courtes-1025G	12 5/8	32.0	1/4	0.60					9 1/2	24.0	3/8	0.80
Pleaser	Cowboy-126	14 7/8	37.8	3/8	1.00					10	25.5	3/8	0.80
Pleaser	Cthulhu-299	14	35.6	3/8	0.80					14	35.6	1/4	0.60
Pleaser	Cubby-311	12 3/4	32.5	1/2	1.16					11 3/8	29.0	1/4	0.76
Pleaser	Dagger-2020	13 3/8	34.0	3/8	1.00					13 1/2	34.3	1/4	0.50
Pleaser	Dagger-2042	13 3/8	34.0	3/8	1.00					13 1/2	34.3	1/4	0.60
Pleaser	Dagger-3063	13 1/4	33.8	3/8	0.80	19 1/4	49.0	3/8	0.8	22 7/8	58.0	1/4	0.60
Pleaser	Dame-115	10 1/4	26.0	3/8	0.80					7 1/2	19.0	1/4	0.55
Pleaser	Daring-1022	10 7/8	27.6	3/8	0.80					7 5/8	19.3	1/4	0.60
Pleaser	Daring-2060	14 5/8	37.0	3 1/8	8.00					18 1/8	46.0	1/4	0.60
Pleaser	Delight-1020	9 3/8	23.8	3/8	0.80					6 1/8	15.5	1/4	0.60
Pleaser	Delight-1027	9 1/2	24.2	1/4	0.60					6 1/2	16.5	1/4	0.60
Pleaser	Delight-2000	12 1/4	31.2	1/4	0.60					13 3/4	35.0	1/4	0.60
Pleaser	Delight-2007	14 1/2	36.8	3/8	1.00					14	36.0	1/4	0.60
Pleaser	Delight-2012	13 3/4	35.0	3/8	1.00					14 1/8	36.0	1/4	0.60
Pleaser	Delight-2017	13	33.0	1/4	0.60					13 3/4	35.0	3/8	1.00
Pleaser	Delight-2018	12 5/8	32.0	3/8	0.80					14 1/8	36.0	1/8	0.40
Pleaser	Delight-2023	12 5/8	32.0	3/8	1.00					13 3/4	35.0	1/4	0.60
Pleaser	Delight-2049	12	30.5	3/8	1.00					14 3/8	36.5	5/8	1.50
Pleaser	Delight-2050	11 1/4	28.5	1/4	0.78					14 5/8	37.0	1/2	1.20
Pleaser	Delight-2063	12	30.5	1/4	0.60					16	40.6	1/4	0.60
Pleaser	Delight-3000	12 7/8	32.6	3/8	0.80	18 3/8	46.6	1/2	1.2	23 7/8	60.5	5/8	1.50
Pleaser	Delight-3002	11 3/4	30.0	1/4	0.60	12 5/8	32.0	1/4	0.6	18 7/8	48.0	1/2	1.20
Pleaser	Delight-3005	11	28.0	3/8	0.80	11 3/4	30.0	3/8	0.8	22	56.0	1/4	0.60
Pleaser	Delight-3010	13 1/4	33.7	1/2	1.20	19 5/8	50.0	1/2	1.4	22 7/8	58.0	1/5	0.50
Pleaser	Delight-3010G	13 5/8	34.5	3/8	0.80	19 5/8	50.0	1/2	1.2	22 7/8	58.0	1/2	1.20
Pleaser	Delight-3012	13 5/8	34.6	1/4	0.60	15 7/8	40.4	3/8	1.0	23 5/8	60.0	1/8	0.30
Pleaser	Delight-3015	13 5/8	34.6	1/4	0.60	15 7/8	40.4	3/8	1.0	23 5/8	60.0	1/8	0.40
Pleaser	Delight-3017	12 5/8	32.2	1/4	0.60	17 1/2	44.5	3/8	1.0	25 5/8	65.0	1/4	0.50
Pleaser	Delight-3019	12 1/2	31.6	3/8	0.80	14 3/8	36.6	3/8	1.0	21 5/8	55.0	1/4	0.50
Pleaser	Delight-3023	12 3/4	32.3	3/8	1.00	17 1/2	44.3	3/8	1.1	24 5/8	62.5	5/8	1.50
Pleaser	Delight-3028	12 5/8	32.0	3/8	0.80	16 3/4	42.5	3/8	1.0	24 3/4	63.0	5/8	1.50

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Delight-3050	11 3/4	30.0	3/8	0.80	15	38.0	3/8	0.8	24 1/4	61.5	5/8	1.60
Pleaser	Delight-3063	12	30.4	3/8	0.80	16 3/4	42.7	1/2	1.2	24 7/8	63.2	3/8	1.10
Pleaser	Delight-4000	13	33.0	3/8	0.80	19 1/2	49.4	1/2	1.2	26 1/4	66.7	1/8	0.30
Pleaser	Delight-5000	12 3/4	32.4	1/4	0.60	20 3/4	52.6	3/8	1.0	26 3/4	68.0	1/2	1.20
Pleaser	Delight-699	14	35.6	1/4	0.55					14 7/8	37.7	1/8	0.40
Pleaser	Detective66	10 7/8	27.7	3/8	0.80					3 3/8	8.5	1/4	0.50
Pleaser	Deviant-201	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-202	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-203	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-204	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-205	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-206	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-207	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Deviant-301	13 3/4	35.0	1/2	1.20					15 1/8	38.3	3/8	0.90
Pleaser	Deviant-303	13 3/4	35.0	1/2	1.20					15 1/8	38.3	3/8	0.90
Pleaser	Deviant-304	13 3/4	35.0	1/2	1.20					15 1/8	38.3	3/8	0.90
Pleaser	Deviant-310	13 3/4	35.0	1/2	1.20					15 1/8	38.3	3/8	0.90
Pleaser	Diana-305	10 5/8	27.0	3/4	2.00					9 3/4	24.7	1/4	0.60
Pleaser	Disorder-100	10	25.5	1/4	0.60					7 1/8	18.0	1/8	0.30
Pleaser	Disorder-200	10 5/8	26.9	1/4	0.65					8 5/8	22.0	1/8	0.41
Pleaser	Disorder-204	10 5/8	26.9	1/4	0.65					8 5/8	22.0	1/8	0.41
Pleaser	Disorder-300	13 1/8	33.2	3/8	0.81					11 1/8	28.2	1/4	0.53
Pleaser	Disorder-301	13 1/8	33.2	3/8	0.81					11 1/8	28.2	1/4	0.53
Pleaser	Disorder-302	13 1/8	33.2	3/8	0.81					11 1/8	28.2	1/4	0.53
Pleaser	Disorder-303	13 1/8	33.2	3/8	0.81					11 1/8	28.2	1/4	0.53
Pleaser	Disorder-304	14 1/8	35.8	3/8	0.90					12 1/4	31.1	1/4	0.60
Pleaser	Disorder-400	14 7/8	37.8	3/8	0.90					14 7/8	37.8	1/4	0.70
Pleaser	Disorder-402	14 7/8	37.8	3/8	0.90					14 7/8	37.8	1/4	0.70
Pleaser	Disorder-403	14 7/8	37.8	3/8	0.90					14 7/8	37.8	1/4	0.70
Pleaser	Domina-2000	13	33.0	1/8	0.40					14 1/8	36.0	1/8	0.40
Pleaser	Domina-2020	13 3/4	35.0	3/8	0.80					14	35.5	1/8	0.40
Pleaser	Domina-3000	13 3/8	34.0	3/8	0.80	18 7/8	48.0	3/8	0.8	23 5/8	60.0	3/8	1.10
Pleaser	Dynamite-600	14 1/8	36.0	1/2	1.27					13 3/4	35.0	3/8	0.95
Pleaser	Electra-1020	10 1/2	26.8	1/4	0.60					7 3/4	19.7	3/8	1.00
Pleaser	Electra-1028	8 3/4	22.2	1/4	0.60					6 1/8	15.5	1/8	0.40
Pleaser	Electra-2000Z	12 5/8	32.0	1/2	1.20					15	38.0	1/4	0.60
Pleaser	Electra-2020	13 1/4	33.5	3/8	1.00					13 5/8	34.6	1/4	0.50
Pleaser	Electra-2023	11 7/8	30.3	3/8	1.00					14 5/8	37.2	1/4	0.60
Pleaser	Electra-2028	13 3/8	34.0	1/4	0.60					13 5/8	34.5	1/4	0.60
Pleaser	Electra-2029	13 3/4	35.0	1/4	0.60					13 3/4	35.0	1/4	0.50
Pleaser	Electra-2030	13 1/4	33.5	3/8	1.00					13 5/8	34.6	1/4	0.50
Pleaser	Electra-2032	13 1/4	33.5	3/8	1.00					13 5/8	34.6	1/4	0.60
Pleaser	Electra-2037	11 3/8	29.0	1/4	0.50					13 5/8	34.5	3/8	0.80
Pleaser	Electra-2042	13 3/4	35.0	1/4	0.60					13 3/4	35.0	1/2	1.20
Pleaser	Electra-2050	12 5/8	32.0	1/4	0.60					14	35.5	1/2	1.20
Pleaser	Electra-2090	12 7/8	32.6	3/8	1.00					19 5/8	50.0	1/8	0.20
Pleaser	Electra-3000	10 5/8	27.0	3/8	1.00	15	38.0	3/8	1.0	26 7/8	68.2	1/4	0.60
Pleaser	Electra-3000Z	12 5/8	32.0	1/4	0.60	18 1/2	47.0	1/4	0.6	26 3/8	67.0	3/8	0.80
Pleaser	Electra-3010	13 3/4	35.0	3/8	0.80	19 1/4	49.0	3/8	0.8	22 7/8	58.0	1/4	0.60
Pleaser	Electra-3023	12 5/8	32.0	3/8	0.80	17 3/4	45.0	3/8	0.8	25	63.5	1/4	0.60
Pleaser	Electra-3028	11 3/4	30.0	3/8	0.80	16 1/2	42.0	3/8	0.8	24 3/8	62.0	1/4	0.50
Pleaser	Electra-3050	12 5/8	32.0	3/8	0.80	18 1/8	46.0	3/8	0.8	24	61.0	1/4	0.60
Pleaser	Engineer Boot	14 1/4	36.1	3/8	0.90					10 1/8	25.6	1/8	0.45

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Exotica-1023	11 1/8	28.1	3/8	1.00					8 1/2	21.7	1/4	0.60
Pleaser	Exotica-1050	9 5/8	24.6	3/8	1.00					8 1/4	21.0	1/4	0.60
Pleaser	Exotica-2000	13	33.0	3/8	0.80					14 3/4	37.5	1/4	0.60
Pleaser	Exotica-2000x	15 1/4	38.8	3/8	0.80					15 3/4	40.0	1/4	0.60
Pleaser	Exotica-2020	13 3/4	35.0	3/8	1.00					14 3/8	36.4	1/4	0.50
Pleaser	Exotica-2020x	16 5/8	42.2	3/8	0.80					14 3/8	36.4	1/4	0.60
Pleaser	Exotica-2030	14 1/8	36.0	1/4	0.60					13	33.0	1/4	0.60
Pleaser	Exotica-305	13 1/8	33.4	3/8	1.00					13 1/4	33.8	1/4	0.60
Pleaser	Fascinate-1011	5	12.7	5 3/4	14.70					3 3/8	8.5	3 3/4	9.50
Pleaser	Fascinate-1012	3 3/8	8.7	4 1/4	10.70					4 1/8	10.5	4 1/2	11.50
Pleaser	Fascinate-1016	4 7/8	12.4	5 5/8	14.40	5 3/4	14.6	6 1/2	16.6	8 1/4	20.8	8 5/8	21.80
Pleaser	Fascinate-1018	4 7/8	12.4	5 5/8	14.40	5 3/4	14.6	6 1/2	16.6	8 1/4	20.8	8 5/8	21.80
Pleaser	Fascinate-1019	4 7/8	12.5	5 3/4	14.50	6	15.2	6 3/4	17.2	10 1/4	26.0	10 5/8	27.00
Pleaser	Fascinate-2008	5	12.7	5 3/4	14.70	6	15.2	6 3/4	17.2	13 3/4	35.0	14 1/8	36.00
Pleaser	Fascinate-2010	5	12.7	5 3/4	14.70	6 3/4	17.3	7 5/8	19.3	13 3/4	35.0	14 1/8	36.00
Pleaser	Fascinate-2010R	5	12.7	5 3/4	14.70	6 3/4	17.2	7 1/2	19.2	15	38.1	15 3/8	39.10
Pleaser	Fascinate-2018	4 7/8	12.4	5 5/8	14.40	6 1/2	16.4	7 1/4	18.4	13 3/4	34.8	14 1/8	35.80
Pleaser	Fascinate-2020	5	12.7	5 3/4	14.70	6 1/2	16.5	7 1/4	18.5	16	40.7	16 3/8	41.70
Pleaser	Fascinate-3010	5	12.7	5 3/4	14.70	6 3/4	17.2	7 1/2	19.2	19 1/4	49.0	19 5/8	50.00
Pleaser	Fabulous-3035	14 5/8	37.2	3/8	0.80	16 7/8	43.0	3/8	0.8	20 1/8	51.0	3/8	0.80
Pleaser	Femme-1020	8 7/8	22.7	3/8	0.80					4 1/8	10.5	1/4	0.60
Pleaser	Femme-2020	14	35.6	3/8	1.00					11 3/8	29.0	1/4	0.60
Pleaser	Femme-3010	13 7/8	35.3	3/8	0.80	19 3/8	49.3	3/8	0.8	21 7/8	55.5	1/4	0.50
Pleaser	Femme-3020	14 1/8	35.9	3/8	0.80	17 5/8	44.9	3/8	0.8	23 1/4	59.0	1/4	0.60
Pleaser	Fierce-130	12 1/4	31.0	3/8	1.08					8 5/8	22.0	1/4	0.58
Pleaser	Flair-2010	14 1/8	36.0	1/4	0.60					16	40.5	1/8	0.30
Pleaser	Flair-2023	12 5/8	32.0	1/8	0.40					14 1/8	36.0	1/4	0.60
Pleaser	Frolic-10	11	27.8	3/8	0.80					4 3/4	12.1	1/4	0.60
Pleaser	Frolic-125	14 3/4	37.4	3/8	1.00					14 3/8	36.5	1/4	0.60
Pleaser	Furious-201	12 3/4	32.3	1/4	0.60					9 3/4	24.8	1/4	0.60
Pleaser	Furious-301	15 1/8	38.5	1/4	0.60					12 3/4	32.3	1/4	0.60
Pleaser	Fury-06	12 1/4	31.0	1/4	0.60					6 1/8	15.5	1/4	0.60
Pleaser	Fury-106	13 3/8	34.0	1/8	0.40					11 3/8	29.0	1/4	0.60
Pleaser	Fury-107	13 3/8	34.0	1/8	0.40					11 3/8	29.0	1/4	0.60
Pleaser	Glam-240	14 1/8	36.0	1/2	1.24					15 1/8	38.5	3/8	1.04
Pleaser	Gogo-100	11	28.0	1/2	1.20					11	28.0	3/4	1.80
Pleaser	Gogo-300	12 3/4	32.4	3/8	0.80					14	35.7	1/4	0.60
Pleaser	Gogo-300F	12 3/4	32.4	3/8	0.80					14	35.7	1/4	0.60
Pleaser	Gogo-300WC	14 5/8	37.0	3/8	1.00					15 1/8	38.5	1/4	0.60
Pleaser	Gogo-300X	15 1/4	38.6	3/8	0.80					15	38.0	1/4	0.60
Pleaser	Gogo-305	13 1/4	33.6	3/8	0.80					13 1/8	33.4	1/4	0.60
Pleaser	Gogo-308	12 3/4	32.4	3/8	1.00					14 3/4	37.5	3/8	1.00
Pleaser	Gogo-360	13 3/8	34.0	3/8	1.00					14 3/4	37.5	1/4	0.60
Pleaser	Gogo-60	12 7/8	32.6	3/8	0.80					9 1/4	23.5	1/4	0.60
Pleaser	Gogo-65	9 1/2	24.0	3/4	2.00					5 7/8	15.0	3/8	1.00
Pleaser	Gothika-100	12 1/4	31.0	3/8	1.07					8 7/8	22.5	1/4	0.61
Pleaser	Gothika-101	11 3/4	30.0	3/8	1.04					9 7/8	25.0	1/4	0.68
Pleaser	Gothika-200	13 3/8	34.0	1/2	1.17					14 1/8	36.0	3/8	0.97
Pleaser	Gothika-206	11 3/4	30.0	3/8	1.04					15	38.0	3/8	1.03
Pleaser	Gothika-209	14 1/8	36.0	1/2	1.24					14 5/8	37.0	3/8	1.00
Pleaser	Gothika-215	14 1/8	36.0	1/2	1.24					14 3/8	36.5	3/8	0.99
Pleaser	Gothika-600uv	14 1/8	36.0	1/2	1.24					14 1/8	36.0	3/8	0.97
Pleaser	Gotham-100	14 3/8	36.5	1/2	1.20					14 3/8	36.5	3/4	1.80

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Gravel-10s	10 7/8	27.6	1/4	0.70					9 1/8	23.3	1/8	0.40
Pleaser	Gravel-14	11 7/8	30.2	3/8	1.00					10 3/8	26.4	3/8	0.80
Pleaser	Gravel-20	13 7/8	35.2	3/8	1.00					11 1/2	29.3	3/8	0.90
Pleaser	Gravel-22	14 5/8	37.2	3/8	0.90					14 7/8	37.8	1/4	0.57
Pleaser	Gravel-23	14 5/8	37.2	3/8	0.90					14 7/8	37.8	1/4	0.57
Pleaser	Harness Boot	13 7/8	35.2	3/8	1.10					9 5/8	24.6	1/4	0.50
Pleaser	Gypsy-203	13 1/2	34.4	3/8	1.00					14 3/8	36.5	3/8	0.80
Pleaser	Harlot-209	12 3/4	32.4	3/8	1.00					16 1/8	41.0	1/4	0.60
Pleaser	Heat-2010	14 1/8	36.0	3/8	0.80					14	35.5	1/4	0.60
Pleaser	Heat-3010	14 1/8	36.0	3/8	0.80					24 5/8	62.5	1/4	0.60
Pleaser	Hero-100	15 1/4	38.6	5/8	1.60					14 1/8	36.0	7/8	2.30
Pleaser	Hippy-308	13 3/8	34.0	3/8	0.80					14 1/4	36.1	3/8	1.00
Pleaser	Hunter-200	11 3/4	30.0	3/8	0.80					12 5/8	32.0	1/4	0.50
Pleaser	Indian-120	14 3/8	36.6	3/8	1.00					14	35.5	3/8	1.10
Pleaser	Indian-257	14 1/8	36.0	3/8	0.80					13 3/4	35.0	1/4	0.60
Pleaser	Indulge-1026	4 7/8	12.5	1/4	0.60					5 7/8	15.0	1/4	0.60
Pleaser	Indulge-1028	13 3/4	35.0	3/8	0.80					14 5/8	37.0	1/4	0.50
Pleaser	Indulge-2000	13	33.0	1/8	0.40					14	35.5	1/4	0.50
Pleaser	Indulge-2020	13 3/4	35.0	1/4	0.60					13 3/8	34.0	1/4	0.50
Pleaser	Indulge-2022	13	33.0	1/4	0.60					14 1/8	36.0	1/4	0.60
Pleaser	Indulge-2024	12 5/8	32.0	1/4	0.60					13 3/8	34.0	1/4	0.60
Pleaser	Indulge-2033	13 3/4	35.0	1/4	0.60					13 3/4	35.0	1/4	0.50
Pleaser	Indulge-3000	13	33.0	1/8	0.40	19 1/4	49.0	1/8	0.4	25	63.5	1/4	0.50
Pleaser	Indulge-3028	13	33.0	1/8	0.40	18 1/8	46.0	1/8	0.4	24	61.0	1/4	0.60
Pleaser	Indulge-3050	12 5/8	32.0	1/4	0.60	18 1/6	46.0	1/6	0.4	23 7/8	60.5	1/5	0.50
Pleaser	Indulge-3063	12 5/8	32.0	1/8	0.40	18 1/8	46.0	1/8	0.4	24 5/8	62.5	1/2	1.20
Pleaser	Indulge-4024	13	33.0	1/8	0.40	18 1/2	47.0	1/8	0.4	26 5/8	67.5	3/8	0.80
Pleaser	Jester-07	12 1/8	30.9							9	23.0		
Pleaser	Jolly-127	14	35.5	3/8	1.00					13 3/8	34.0	1/4	0.60
Pleaser	Kiki-50	13 3/4	35.0	1/4	0.60					15 1/8	38.5	3/8	0.80
Pleaser	Kiki350	13 3/4	35.0	1/4	0.60					15 1/4	38.8	1/4	0.60
Pleaser	Kink	13 3/4	35.0	1/2	1.21					15	38.0	3/8	1.08
Pleaser	Kiss-2000	13 3/4	35.0	1/4	0.60					15	38.0	3/8	0.80
Pleaser	Kiss-2007	13 3/4	35.0	1/4	0.60					13 3/4	35.0	3/8	0.80
Pleaser	Kiss-2020	13 3/4	35.0	1/4	0.60					13 3/8	34.0	3/8	0.80
Pleaser	Kiss-2023	12 5/8	32.0	1/4	0.60					14 1/8	36.0	1/4	0.50
Pleaser	Kiss-2049	13 5/8	34.5	3/8	0.80					13 3/8	34.0	3/8	0.80
Pleaser	Kiss-3000	13	33.0	1/4	0.60	16 1/2	42.0	1/4	0.6	22 1/2	57.0	3/8	0.80
Pleaser	Kiss-3010	14 1/8	36.0	1/4	0.60	18 7/8	48.0	1/4	0.6	21 5/8	55.0	3/8	1.00
Pleaser	Kiss-3023	13	33.0	1/4	0.60	17 3/8	44.0	1/4	0.6	24	61.0	3/8	1.00
Pleaser	Legend-8868	13 3/8	34.0	1/8	0.40	18 1/2	47.0	1/8	0.4	25 1/4	64.0	1/3	0.80
Pleaser	Legend-8890	15 3/4	40.0	3/8	0.80	18 1/8	46.0	3/8	0.8	24 3/8	62.0	1/8	0.40
Pleaser	Legend-8899	14 5/8	37.0	3/8	1.00	18 1/2	47.0	3/8	1.0	23 5/8	60.0	1/8	0.40
Pleaser	Love-270	14	35.6	3/8	0.80					14 1/8	36.0	3/8	0.80
Pleaser	Lust-2000	13	33.0	3/8	0.80					14	35.5	1/4	0.60
Pleaser	Lust-2000X	15 3/8	39.0	3/8	0.80					14	35.5	1/6	0.40
Pleaser	Lust-2001SQ	15 3/8	39.1	3/8	0.80					12 7/8	32.7	3/8	0.80
Pleaser	Lust-3000	13 3/4	35.0	3/8	0.80	18 7/8	48.0	3/8	0.8	24 3/8	62.0	3/8	0.80
Pleaser	Lust-3000x	16 1/8	41.0	1/4	0.60	22	55.8	1/4	0.6	24 3/8	62.0	1/4	0.60
Pleaser	Maiden-2025	15	38.0	1/4	0.60	16 1/2	42.0	1/4	0.6	18 7/8	48.0	1/3	0.80
Pleaser	Maiden-8828	14 1/8	36.0	1/2	1.20	16 1/2	42.0	1/2	1.2	18 7/8	48.0	1/8	0.20
Pleaser	Mammoth-311	13 3/8	34.0	3/8	1.00					13 3/8	34.0	3/8	1.00
Pleaser	Maverick-2045	17 1/2	44.5	1/4	0.60					17 1/2	44.3	1/4	0.50

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Maverick-8812	15 3/8	39.0	1/2	1.20	16 7/8	43.0	1/2	1.2	18 7/8	48.0	1/8	0.20
Pleaser	Maverick-8824	16 1/8	41.0	1/4	0.60	18 7/8	47.8	3/8	0.8	28 3/8	72.0	3/8	1.00
Pleaser	Medic-3028	12 5/8	32.0	3/8	0.80	16 1/2	42.0	3/8	0.8	24 7/8	63.2	3/8	1.00
Pleaser	Mega-602	13	33.0	1/2	1.17	14 5/8	37.0	1/2	1.3	18 7/8	48.0	1/2	1.27
Pleaser	Mega-618	13	33.0	1/2	1.17	14 5/8	37.0	1/2	1.3	18 7/8	48.0	1/2	1.27
Pleaser	Milan-1022	11 1/8	28.3	1/4	0.70					7 5/8	19.5	1/8	0.40
Pleaser	Milan-2015	14	35.7	3/8	1.00					12 1/4	31.0	1/3	0.80
Pleaser	Militant-128	11 3/4	30.0	3/8	0.80					8 7/8	22.6	1/4	0.60
Pleaser	Monster-02	13 3/4	35.0	3/4	1.80					5 1/2	14.0	1/4	0.60
Pleaser	Monster-10	12 3/4	32.5	5/8	1.60					8 1/2	21.5	3/8	1.00
Pleaser	Monkey Boot-102	8 3/4	22.2	1/4	0.50					4 3/4	12.2	1/8	0.26
Pleaser	Mountain-120	11 3/4	30.0	1/4	0.60					13 3/4	35.0	1/4	0.60
Pleaser	Neptune-100	12 5/8	32.0	1/2	1.13					11 3/8	29.0	1/4	0.76
Pleaser	Neptune-309uv	14 3/4	37.5	1/2	1.32					13 3/4	35.0	3/8	0.92
Pleaser	Neptune-310uv	13 3/4	35.0	1/2	1.23					12 3/4	32.5	3/8	0.86
Pleaser	Outlaw-201	12 5/8	32.0	1/2	1.13					9 1/2	24.0	1/4	0.66
Pleaser	Pace-100	14 1/8	36.0	1/2	1.28					11	28.0	1/4	0.79
Pleaser	Pirate-100	15 3/4	40.0	3/4	2.00					14 3/4	37.5	1/2	1.40
Pleaser	Pirate-125	14 1/8	36.0	1/4	0.60					13 3/4	35.0	1/4	0.60
Pleaser	Pirate-130	13	33.0	3/8	0.80					13 3/4	35.0	1/4	0.50
Pleaser	Pirate-140	14 1/8	36.0	3/8	0.80					13	33.0	1/4	0.60
Pleaser	Player-125	13 1/4	33.5	1/4	0.60					9 1/2	24.2	3/8	0.80
Pleaser	Platoon-202	9 1/2	24.0	1/4	0.60					7 1/8	18.0	1/8	0.30
Pleaser	Platoon-205	11 3/8	29.0	1/4	0.73					6 1/2	16.5	1/8	0.28
Pleaser	Plunder-110	13 3/4	35.0	1/4	0.60					14 5/8	37.0	1/4	0.60
Pleaser	Plunder-110X	15 3/4	40.0	3/8	0.80					20 1/8	51.0	1/8	0.30
Pleaser	Plunder-115	13 5/8	34.5	3/8	0.80					14 1/8	36.0	1/4	0.60
Pleaser	Plunder-130	14	35.5	1/4	0.60					13 5/8	34.5	1/4	0.60
Pleaser	Pole Climber-10	9 7/8	25.2	1/4	0.75					7 7/8	20.0	1/4	0.50
Pleaser	Police-201	15	38.0	3/8	0.80					13	33.0	1/4	0.60
Pleaser	Police-203	14 5/8	37.0	1/4	0.60					15 1/8	38.5	1/4	0.60
Pleaser	Predator-1	13 5/8	34.6	3/8	1.10					14 3/4	37.4	3/8	0.90
Pleaser	Ranger-301	11	28.0	3/8	1.00					7 7/8	20.0	1/4	0.53
Pleaser	Ranger-302	14 1/8	36.0	1/2	1.28					15	38.0	3/8	1.01
Pleaser	Ranger-318	14 5/8	37.0	1/2	1.32					11	28.0	1/4	0.74
Pleaser	Ravage-II	15 1/8	38.5	3/8	1.10					14 5/8	37.2	3/8	0.90
Pleaser	Ravage-302	15	38.0	3/8	0.80					12 1/4	31.0	1/4	0.50
Pleaser	Ravage-303	14 1/4	36.2	3/8	0.80					11 3/4	30.0	1/4	0.60
Pleaser	Ravage-8826	15 1/3	40.0	1/3	0.80	17 1/2	43.8	1/4	0.6	26 3/4	69.5	5/8	1.60
Pleaser	Reaper-30	14 1/8	35.8	3/8	1.10					15 7/8	40.2	3/8	0.90
Pleaser	Referee-120	10	25.5	1/4	0.60					6 1/2	16.5	3/8	0.80
Pleaser	Referee-125	10 3/8	26.5	3/8	1.00					5 1/8	13.0	1/8	0.40
Pleaser	Renaissance-100	15 3/8	39.0	7/8	2.20					13	33.0	1/2	1.40
Pleaser	Renaissance-120	13 3/4	35.0	1/4	0.60					11 3/8	29.0	1/4	0.50
Pleaser	Renaissance-52	11	28.0	1/4	0.60					6	15.2	1/4	0.60
Pleaser	Renfair-128	10 1/4	26.0	1/4	0.60					10 5/8	27.0	1 1/8	3.00
Pleaser	Retro-300	13	33.0	1/4	0.60					15 3/4	40.0	1/5	0.50
Pleaser	Retro-302	12 5/8	32.0	3/8	0.80					14 3/4	37.5	1/4	0.60
Pleaser	Ringmaster-258	13 3/8	34.0	1/4	0.60					15 3/8	39.0	1/2	1.20
Pleaser	Riot-12	10 3/4	27.4	3/8	0.90					9 1/4	23.6	1/4	0.60
Pleaser	Riot-20	13 3/8	34.0	3/8	0.90					14 5/8	37.0	1/4	0.70
Pleaser	Ripsaw-518	14 3/4	37.5	1/4	0.60					14 3/8	36.5	1/2	1.20
Pleaser	Ripsaw-520	13	33.0	1/2	1.17					13	33.0	3/8	0.87

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Rocky-10	9 1/2	24.0	3/8	0.80					7 3/4	19.6	1/4	0.50
Pleaser	Rocky14	11	28.0	1/4	0.60					10 1/4	25.9	1/8	0.40
Pleaser	Rocky-20	13 5/8	34.7	1/4	0.60					14 1/2	36.8	1/4	0.60
Pleaser	Rocky30	14 1/8	35.8	3/8	1.10					15 7/8	40.3	3/8	0.80
Pleaser	Rodeo-8822	14 1/8	36.0	3/8	1.00	17 3/8	44.0	3/8	1.0	23 5/8	60.0	2/3	1.60
Pleaser	Santa-100	17 3/8	44.0	1	2.40					14 3/4	37.5	1/2	1.40
Pleaser	Santa-106wc	23 1/8	58.6	3/4	1.80					16 1/8	41.0	3/8	0.80
Pleaser	Santa-108	16 3/4	42.4	5/8	1.60					16 1/8	41.0	3/4	1.80
Pleaser	Scene-100	12 1/4	31.0	3/8	1.10					13 3/4	35.0	3/8	0.96
Pleaser	Scream-1026	11	27.8	3/8	0.80					7 1/8	18.0	3/8	0.80
Pleaser	Scream-2027	12 7/8	32.8	3/8	0.80					13 3/4	35.0	3/8	0.80
Pleaser	Scream-3010	13 7/8	35.2	3/8	1.00	19 1/8	48.7	3/8	1.0	22	56.0	1/4	0.60
Pleaser	Scream-3010	13 7/8	35.2	3/8	1.00	19 1/8	48.7	3/8	1.0	22	56.0	1/4	0.60
Pleaser	Seduce-1020	9 5/8	24.5	1/4	0.70					5 7/8	15.0	1/4	0.60
Pleaser	Seduce-1049	5 1/2	14.0	3/8	0.80					8 7/8	22.6	1/4	0.60
Pleaser	Seduce-2000	12 3/4	32.4	1/4	0.60					14 1/8	36.0	1/4	0.60
Pleaser	Seduce-2013	14 1/8	35.8	1/4	0.60	15 1/4	38.8	3/8	0.8	16 1/8	40.8	1/4	0.60
Pleaser	Seduce-2020	13 3/8	34.0	1/4	0.60					14	35.5	1/4	0.60
Pleaser	Seduce-2024	11 7/8	30.3	1/4	0.60					13 1/2	34.3	1/4	0.60
Pleaser	Seduce-2033	13 5/8	34.6	1/4	0.60					13 5/8	34.7	1/4	0.60
Pleaser	Seduce-2064	14 3/8	36.4	3/8	0.80					14 5/8	37.2	1/4	0.60
Pleaser	Seduce-3000	13 5/8	34.6	3/8	0.80	18 7/8	48.0	3/8	0.8	24 3/8	62.0	1/4	0.60
Pleaser	Seduce-3010	14 1/2	36.7	3/8	0.80	19 5/8	49.7	3/8	0.8	24 1/2	62.2	3/8	1.00
Pleaser	Seduce-3024	12 3/8	31.5	3/8	0.80	9 3/4	24.7	3/8	0.8	25	63.5	1/4	0.60
Pleaser	Seduce-3028	12 3/8	31.5	3/8	0.80	16 7/8	43.0	3/8	0.8	24	61.0	1/4	0.60
Pleaser	Seduce-3050	13 1/8	33.4	3/8	0.80	18	45.7	3/8	0.8	23 3/8	59.4	1 1/8	3.00
Pleaser	Seduce-3063	12	30.4	3/8	0.80	17 3/4	45.0	3/8	0.8	25 5/8	65.0	3/8	0.80
Pleaser	Seduce-4010	14 3/8	36.6	3/8	0.80	21 3/8	54.2	3/8	0.8	26 3/8	67.0	1/4	0.60
Pleaser	Seduce-4026	13 1/2	34.2	3/8	0.80	18 3/8	46.6	3/8	1.0	25 7/8	65.7	3/8	0.80
Pleaser	Sexy-110	12 1/4	31.0	1/4	0.60					14	35.5	1/4	0.60
Pleaser	Sexy-2000	13 1/8	33.2	3/8	1.00					14 1/8	36.0	3/8	0.80
Pleaser	Sexy-3000	13 1/8	33.2	3/8	1.00	18 1/4	46.2	3/8	1.0	22 1/2	57.0	3/8	0.80
Pleaser	Shaker-100	13 3/8	34.0	1/2	1.19					15 3/4	40.0	3/8	1.09
Pleaser	Sky-1020	10 1/4	26.0	1/4	0.60					7 1/4	18.5	3/8	0.80
Pleaser	Sky-2000	13	33.0	1/4	0.60					13 3/4	35.0	3/8	0.80
Pleaser	Sky-2020	13 5/8	34.5	1/4	0.60					13 3/8	34.0	1/4	0.50
Pleaser	Sky-2021LN	13	33.0	1/4	0.60					14 1/8	36.0	3/8	0.80
Pleaser	Sky-3000	13	33.0	1/4	0.60	18 1/2	47.0	1/4	0.6	24 3/8	62.0	1/4	0.50
Pleaser	Sky-3010	14 1/8	36.0	1/4	0.60	20 1/8	51.0	1/4	0.6	21 5/8	55.0	1/4	0.50
Pleaser	Slick-100	13 1/4	33.5	1/4	0.60					15 3/8	39.0	1/8	0.40
Pleaser	Slush-214	14	35.5	3/8	0.80					14	35.5	1/4	0.60
Pleaser	Slush-219	13	33.0	3/8	0.80					14 1/8	36.0	1/4	0.60
Pleaser	Slush-225	12 5/8	32.0	3/8	0.80					14 3/8	36.5	1/4	0.60
Pleaser	Slush-249	12	30.5	3/8	0.80					14 5/8	37.0	1/4	0.60
Pleaser	Slush-62	10 1/4	26.0	3/8	0.80					7 5/8	19.5	1/4	0.60
Pleaser	Spectacular-300SQ	14 1/8	36.0	3/8	0.80					14 5/8	37.0	1/4	0.60
Pleaser	Spiky-1018	8 3/4	22.2	1/4	0.60					6 3/8	16.2	1/4	0.50
Pleaser	Spicy-138	13 3/8	34.0	3/8	0.80					13 3/8	34.0	1/4	0.50
Pleaser	Spectacul-300SQ	14 1/2	36.8	3/8	0.80					14 1/8	36.0	3/8	0.80
Pleaser	Splashy-3020	14 1/2	36.8	1/4	0.60					16 1/2	41.9	1/4	0.60
Pleaser	Splendor-130	13 1/8	33.4	1/2	1.20					9	23.0	1/5	0.50
Pleaser	Spooky-160	13	33.0	3/8	0.80					11	28.0	1/5	0.50
Pleaser	Sport-12	9 5/8	24.6	3/8	0.80					6	15.3	1/4	0.60

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Stack-301	15	38.0	1/2	1.34					13	33.0	3/8	0.90
Pleaser	Stack-301G	15	38.0	1/2	1.34					13	33.0	3/8	0.90
Pleaser	Stack-308	14 1/8	36.0	1/2	1.27					14 5/8	37.0	3/8	1.01
Pleaser	Stack-317	15 3/4	40.0	1/2	1.41					14 3/4	37.5	3/8	1.03
Pleaser	Stack-318	15	38.0	1/2	1.34					11 3/8	29.0	1/4	0.79
Pleaser	Steam	14 1/4	36.1	3/8	0.90					10 1/8	25.6	1/8	0.45
Pleaser	Steam-12	10 3/4	27.4	3/8	0.90					9 1/4	23.6	1/4	0.60
Pleaser	Steam-20	13 3/8	34.0	3/8	0.90					14 5/8	37.0	1/4	0.70
Pleaser	Steam-30	14 1/8	35.8	3/8	1.10					15 7/8	40.2	3/8	0.90
Pleaser	Stomp-101	11 3/4	30.0	3/8	1.04					10 5/8	27.0	1/4	0.74
Pleaser	Stomp300	14 1/8	36.0	1/2	1.24					13 3/4	35.0	3/8	0.96
Pleaser	Stomp306	13 3/8	34.0	1/2	1.17					11 3/8	29.0	1/4	0.79
Pleaser	Stomo-313	13 3/8	34.0	1/2	1.17					15 3/8	39.0	3/8	1.07
Pleaser	Stomp-314	12 5/8	32.0	3/8	1.10					13 3/4	35.0	3/8	0.96
Pleaser	Swing-220	12 5/8	32.0	3/8	1.10					10 3/8	26.5	1/4	0.73
Pleaser	Swing-815	13 3/8	34.0	1/2	1.17					13 3/4	35.0	3/8	1.01
Pleaser	Taboo-2021	13	33.0	1/4	0.60					13 3/4	35.0	3/8	1.00
Pleaser	Taboo-3000	13	33.0	1/4	0.60	18 1/8	46.0	1/4	0.6	24 3/4	63.0	3/8	1.00
Pleaser	Taboo-3023	13	33.0	1/4	0.60	17 3/8	44.0	1/4	0.6	23 5/8	60.0	1/4	0.60
Pleaser	Techno-850UV	14 7/8	37.8	3/8	1.00					14 3/8	36.5	1/4	0.60
Pleaser	Techno-854UV	14 7/8	37.8	3/8	1.00					14 3/8	36.5	3/8	1.00
Pleaser	Techno-856UV	14 3/4	37.5	1/4	0.60					15 1/8	38.5	1/4	0.60
Pleaser	Teeze-2000	13 1/8	33.4	3/8	0.80					14 1/8	36.0	1/4	0.60
Pleaser	Teeze-3000	13 1/4	33.8	3/8	0.80	18 1/4	46.4	3/8	0.8	22 1/2	57.0	3/8	1.00
Pleaser	Tempt-125	13	33.0	3/8	0.80					14 1/8	36.0	1/4	0.60
Pleaser	Tempt-126	13	33.0	3/8	0.80					14 1/8	36.0	1/4	0.60
Pleaser	Teala-102	10 1/2	26.7	1/4	0.60					7 1/4	18.4	1/4	0.60
Pleaser	Tesla-106	10 1/2	26.7	1/8	0.30					6 1/2	16.5	1/4	0.60
Pleaser	Tesla-107	13	33.0	3/8	0.80					8 5/8	22.0	1/4	0.60
Pleaser	Tesla-108	13	33.0	3/8	0.80					8 5/8	22.0	1/4	0.60
Pleaser	Torment-703	11 3/8	29.0	3/8	1.00					7 1/8	18.0	1/4	0.52
Pleaser	Torment-804	12 1/4	31.0	3/8	1.07					14 1/8	36.0	3/8	1.04
Pleaser	Truck-200	12 1/4	31.0	3/8	1.08					10 5/8	27.0	1/4	0.69
Pleaser	Tyrant-201ST	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Tyrant-203ST	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Tyrant-204ST	10 5/8	27.0	3/8	1.00					9 3/4	24.8	1/4	0.60
Pleaser	Tyrant-301ST	13 3/4	35.0	1/2	1.20					15 1/8	38.3	3/8	0.90
Pleaser	Tyrant303ST	13 3/4	35.0	1/2	1.20					15 1/8	38.3	3/8	0.90
Pleaser	Trashville-205	11 1/4	28.6	1/4	0.60					11 1/4	28.5	5/8	1.60
Pleaser	Trashville-502	14 3/8	36.5	1/4	0.60					14 1/2	36.8	1/4	0.60
Pleaser	Trashville-510	13 1/3	35.0	1/6	0.40					13 1/6	34.0	1/6	0.40
Pleaser	Trashville-518	14 3/8	36.5	1/8	0.30					14 3/8	36.5	no increment	
Pleaser	Trashville-518	13 3/8	34.0	3/8	0.80					14 5/8	37.0	1/4	0.60
Pleaser	Trashville-519	15 1/8	38.5	1/4	0.60					12	30.6	1/8	0.40
Pleaser	Transformer-800	13 3/8	34.0	1/2	1.17					14 5/8	37.0	3/8	1.07
Pleaser	Treasure-200	13 3/4	35.0	1/4	0.60					14 1/8	36.0	1/8	0.40
Pleaser	Vanity-1020	9 5/8	24.5	1/8	0.30					6 1/8	15.5	1/4	0.60
Pleaser	Vanity-2013	14	35.7	3/8	0.80	15 1/8	38.5	3/8	0.8	16 1/4	41.3	1/4	0.60
Pleaser	Vanity-2020	13 1/4	33.6	3/8	0.80					14	35.5	3/8	0.80
Pleaser	Vanity-3010	13 7/8	35.3	3/8	0.80	19 1/4	49.0	3/8	0.8	23	58.5	1/4	0.60
Pleaser	Victorian-110	10 5/8	27.0	1/4	0.60					6 1/4	16.0	1/8	0.30
Pleaser	Victorian-112	13 3/8	34.0	3/8	0.80					11 3/8	29.0	1/4	0.50
Pleaser	Victorian-120	12 5/8	32.0	3/8	0.80					9	23.0	1/4	0.60

Brand Name	Style Name	Calf Circumference		Average Increment		Thigh Circumference		Average Increment		Shaft Height		Average Increment	
		Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM	Inches	CM
Pleaser	Victorian-35	9 1/2	24.0	1/4	0.60					4	10.2	3/8	0.80
Pleaser	Victorian-45	11 1/8	28.3	3/8	1.00					7 1/8	18.0	1/5	0.50
Pleaser	Vivacious-3016	15 1/2	39.4	1/4	0.60					22 7/8	58.0	1/4	0.60
Pleaser	Vixen-126	15 3/4	40.0	1/4	0.60					12 5/8	32.0	1/4	0.50
Pleaser	V-creeper-585	13 3/4	35.0	1/2	1.24					15 3/8	39.0	3/8	1.10
Pleaser	Walker-130(S#)	16 1/4	41.3	7/8	2.20					16	40.6	3/5	1.40
Pleaser	Wave-302	13	33.0	1/2	1.16					11 3/4	30.0	3/8	0.82
Pleaser	Whimsy-115	12 7/8	32.7	3/8	1.00					9	23.0	1/5	0.50
Pleaser	Wicker-701	13	33.0	1/2	1.17					10 3/8	26.5	1/4	0.70
Pleaser	Wicker-732	16 1/2	42.0	5/8	1.49					13 3/4	35.0	3/8	0.92
Pleaser	Wicker-800	13 3/4	35.0	1/2	1.24					14 1/8	36.0	3/8	0.95
Pleaser	Wicker-808	15 3/4	40.0	1/2	1.42					14	35.5	3/8	0.94
Pleaser	Wonder-130	13	33.0	1/4	0.60					14 5/8	37	3/8	0.80
Pleaser	Wrangler-1012	15	38.0	3/8	0.80					12	30.5	3/8	0.80
Pleaser	Xray-220	13 1/6	34.0	1/4	0.60					14	35.5	1/4	0.60
Pleaser	XTC-1020	10 5/8	27.0	1/4	0.60					7 7/8	20.0	1/4	0.50
Pleaser	XTC-2000	13 1/4	33.6	1/4	0.60					13 3/4	35.0	3/8	1.00
Pleaser	XTC-2020	13 1/8	33.4	1/4	0.60					13 3/4	35.0	1/4	0.60
Pleaser	Xtm-1020	9 3/4	24.9	3/8	0.80					7	17.8	1/5	0.50
Pleaser	Xtm-2020	13 1/8	33.3	3/8	1.00					13 3/8	34.0	3/8	1.00
Pleaser	Xtm-3010	13 5/8	34.5	3/8	1.00	18 5/8	47.3	3/8	1.0	22 1/4	56.5	1/4	0.60